

M/ N GB/T 646-2011

I J KL

I J ! L 74.55

! " #

\$%&

| | | | |
|----------------------|-----------|-----------|----------|
| ! (KCl) | " 99.5% | " 99.5% | 99.7% |
| pH# (50g/L\$ %&25') | 5.0(8.0 | 5.0(8.0 |) * |
| + , - . / & O | 1 3 | 1 5 | 2 3 |
| 3 4 \$ 5 | 1 0.005% | 1 0.02% | 20.005% |
| 6 7 5 (I) | 1 0.002% | 1 0.01% | 20.002% |
| 8 7 5 (Br) | 1 0.02% | 1 0.05% | 20.02% |
| 9 : ; (S0) | 1 0.002% | 1 0.005% | 20.002% |
| < = ! (N) | 1 0.001% | 1 0.001% | 20.001% |
| > : ; (P0) | 1 0.0005% | 1 0.002% | 20.0005% |
| ? (Na) | 1 0.02% | 1 0.1% | 20.02% |
| @ (Mg) | 1 0.001% | 1 0.002% | 20.001% |
| A (Ca) | 1 0.003% | 1 0.01% | 20.003% |
| B (Fe) | 1 0.0003% | 1 0.0005% | 20.0003% |
| C (Ba) | 1 0.001% | 1 0.001% | 20.001% |
| DE F (GPbH) | 1 0.0005% | 1 0.001% | 20.0005% |